



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
J	-	A	RELEASED		21AUG'13	J.W	C.W




STANDARD (STD) CAP TYPE  
2229490-X AS SHOWN




RAISED CAP TYPE  
4-2229490-3 AS SHOWN


CAP ASSY CONDITION



FOR EMBOSS PACKING  
200PCS/REEL, 180PCS/REEL, 150PCS/REEL  
(REFERENCE)



FOR HARD TRAY PACKING



STANDARD(STD) CAP TYPE RAISED CAP TYPE  
DETAIL Y

56	150	TAPE & REEL	RAISED	rPGA947	4-2229490-3
56	180	TAPE & REEL	STD	rPGA947	2229490-3
52	200	TAPE & REEL	STD	rPGA947	2229490-2
-	18	HARD TRAY	STD	rPGA947	2229490-1
DIMENSION Y		SOCKET QTY PER TRAY OR REEL	PACKAGE TYPE	CAP TYPE	SOCKET TYPE
					PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: 单位: 毫米 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差	DWN: JEFF WANG 21AUG2013	TE Connectivity
	0-PLC ±0.5 1-PLC ±0.5 2-PLC ±0.5 3-PLC ±0.5 4-PLC ±0.5 ANGLES ±3° FINISH 仕上	CHK: SIMON LI 23AUG2013	
	SEE NOTE	SEE NOTE	

NAME: COREL WANG 23AUG2013  
 PRODUCT SPEC: 製品規格  
 APPLICATION SPEC: 取付適用規格  
 WEIGHT: \_\_\_\_\_  
 CUSTOMER DRAWING

SIZE: A2	CAGE CODE: 00779	DRAWING NO: C=2229490	RESTRICTED TO: -
SCALE: NTS	SHEET: 1 of 4	REV: A	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
J		-		變更	DATE	DWN	APVD
		P	LTR	DESCRIPTION			
		-	-	SEE SHEET 1	-	-	-



1. MATERIAL

- ① BASE HOUSING : HIGH TEMP, THERMOPLASTIC, UL94V-0
- ② COVER HOUSING : HIGH TEMP, THERMOPLASTIC, UL94V-0
- ③ CONTACT : COPPER ALLOY  
FINISH : 0.00010 MIN Au PL. AT CONTACT AREA ON ALL OVER Ni UNDER PL. 0.00127 MIN.
- ④ SOLDER BALL : Sn/Ag/Cu
- ⑤ CAM : STAINLESS STEEL
- ⑥ BASE PLATE : STAINLESS STEEL
- ⑦ SLIDE PLATE : STAINLESS STEEL
- ⑧ WASHER : STAINLESS STEEL
- ⑨ PnP CAP : HIGH TEMP, THERMOPLASTIC, UL94V-0, BLACK


- △ INDICATED DATE CODE ON THE HSG
- 4. HALOGEN FREE SPECIFICATION  
CHLORINE(CI): 900 ppm MAX  
BROMINE(BR): 900 ppm MAX  
CHLORINE(CI) & BROMINE(BR): 1500 ppm MAX

rPGA947 AS SHOWN  
CAP IS REMOVED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE Connectivity	
DIMENSIONS: 単位: 寸 mm		CHK	NAME 名称	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	SOCKET ASSY rPGA947	
①-PLC ±0.3		PRODUCT SPEC	SIZE	CAGE CODE
②-PLC ±0.3		APPLICATION SPEC	A2	00779
③-PLC ±0.3		取付適用規格	DRAWING NO	RESTRICTED TO
④-PLC ±0.3		ANGLES ±1°	番号	-
MATERIAL 材料 SEE NOTE		FINISH 仕上 SEE NOTE	SCALE	SHEET
			A2	2 of 4
			NTS	REV
				A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By Tyco Electronics Japan G.K. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DATE	DWN	APVD	
J	-	-	-	SEE SHEET 1	-	-	-



BOTTOM VIEW  
(OPEN POSITION)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TE Connectivity													
DIMENSIONS: 単位: 寸 mm		CHK	NAME													
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	SOCKET ASSY rPGA947													
<table border="0"> <tr><td><math>\phi</math>-PLC</td><td><math>\pm 0.3</math></td></tr> <tr><td>1-PLC</td><td><math>\pm</math></td></tr> <tr><td>2-PLC</td><td><math>\pm</math></td></tr> <tr><td>3-PLC</td><td><math>\pm</math></td></tr> <tr><td>4-PLC</td><td><math>\pm</math></td></tr> <tr><td>ANGLES</td><td><math>\pm 1^\circ</math></td></tr> </table>		$\phi$ -PLC	$\pm 0.3$	1-PLC	$\pm$	2-PLC	$\pm$	3-PLC	$\pm$	4-PLC	$\pm$	ANGLES	$\pm 1^\circ$	PRODUCT SPEC	SIZE	CAGE CODE
$\phi$ -PLC	$\pm 0.3$															
1-PLC	$\pm$															
2-PLC	$\pm$															
3-PLC	$\pm$															
4-PLC	$\pm$															
ANGLES	$\pm 1^\circ$															
MATERIAL		APPLICATION SPEC	A2	00779												
FINISH		WEIGHT	DRAWING NO													
-		-	C=2229490													
CUSTOMER DRAWING			SCALE	SHEET												
-			4:1	3 OF 4												
-			REV	A												

